

HMG

free running park equipment

parkour



Free flow

free - running - parkour



total area: 16 x 22m

park area: 352m²

safety surface: 63m²

falling height max.: 2,6m²



total area:	14 x 16m
park area:	224m ²
safety surface:	70m ²
falling height max.:	1,8m ²




total area: 17 x 23m

park area: 224m²

safety surface: 100m²

falling height max.: 3,0m²



total area: 17 x 23m


park area: 224m²

safety surface: 70m²


falling height max.: 3,0m²

Wall`s


wall „M“




wall „F“



wall „T“




wall „Rock“




Wall`s


wall „W“




wall „O“



wall „R“




wall „C“




BOX


box „S“




box „M“



Tower




Tower „B“



obstacles


picnic Table




bank



bank „II“




3 poles




combinations


Block „A“




Block „C“



Block „F“




3 wall




railings

railing „A“




reck „S“



monky tree



jungle





free running Parkour

Le Parkour or free running is the sport of fluid urban movements and can be practice just everywhere.

Find and juse your own style and link skills together into a seamless, dynamic movement throw the urban cities.

Start and improve your skills in a safe place at public parkour parks before.

Construction


Only high-quality and highly resistant material are used in the production of our parkour elements.

Our parkour parks are build in a modular and flexible steel tube construction.



Surfaces

10mm glass-fibre reinforced beton granulate boards have a sandwich structure with a noise and shock absorbing layer.





AUSTRIA

HMG sports-sytems.com e.U
Sonnental 122, 9220 Velden
Phone:0043 4274 50127 Fax:50176
www.urban-artrock.com office@hmg.at
© 2016